



บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.
สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladayao, Jattajak, Bangkok 10900 Thailand
Tel : (662) 561 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895, (662) 940 6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021

Report No. TRBK64/21176

Page (s) 01/02

Customer Name & Address (provided by customer) Agrisen Food Co., Ltd.
35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description (provided by customer) Okra

Sample Code BK64/08800-001

Sample Condition
Sample Type: Okra
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1 kg.
Temperature : chilled, in good condition when received

Date of sample received May 22, 2021

Date of analysis May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
Organophosphate Group				
Dichlorvos (DDVP)	Not Detected	mg/kg	0.005	In-house method TE-CH-031 based on Steinwandter, H. Universal 5 min On-Line Method for Extracting and Isolating Pesticide Residues and Industrial Chemicals, Fresenius Z Anal. Chem., 322 (1985), P. 752-754.
Methamidophos	Not Detected	mg/kg	0.005	
Mevinphos	Not Detected	mg/kg	0.005	
Omethoate	Not Detected	mg/kg	0.005	
Diazinon	Not Detected	mg/kg	0.005	
Dicrotophos	Not Detected	mg/kg	0.005	
Monocrotophos	Not Detected	mg/kg	0.005	
Dimethoate	Not Detected	mg/kg	0.005	
Pirimiphos-methyl	Not Detected	mg/kg	0.005	
Chlorpyrifos	Not Detected	mg/kg	0.005	
Parathion-methyl	Not Detected	mg/kg	0.005	
Pirimiphos	Not Detected	mg/kg	0.005	
Malathion	Not Detected	mg/kg	0.005	
Fenitrothion	Not Detected	mg/kg	0.005	
Parathion	Not Detected	mg/kg	0.005	
Prothiofos	Not Detected	mg/kg	0.005	
Methidathion	Not Detected	mg/kg	0.005	
Profenofos	Not Detected	mg/kg	0.005	
Ethion	Not Detected	mg/kg	0.005	
Triazophos	Not Detected	mg/kg	0.005	
EPN	Not Detected	mg/kg	0.005	
Phosalone	Not Detected	mg/kg	0.005	

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/2





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladyao, Jatujak, Bangkok 10900 Thailand
Tel : (662) 561 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895, (662) 940 6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21176
Page (s) 02/02

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
Azinphos-ethyl	Not Detected	mg/kg	0.005	In-house method TE-CH-030 based on Steinwandter, H. Universal 5 min On-Line Method for Extracting and Isolating Pesticide Residues and Industrial Chemicals, Fresenius Z Anal. Chem., 322 (1985). P. 752-754.
Pyrethroid Group				
Deltamethrin	Not Detected	mg/kg	0.005	
Permethrin	Not Detected	mg/kg	0.005	
lambda-Cyhalothrin	Not Detected	mg/kg	0.005	
Cypermethrin	Not Detected	mg/kg	0.005	
Cyfluthrin	Not Detected	mg/kg	0.005	
Fenvalerate	Not Detected	mg/kg	0.005	In-house method TE-CH-032 based on Steinwandter, H. Universal 5 min On-Line Method for Extracting and Isolating Pesticide Residues and Industrial Chemicals, Fresenius Z Anal. Chem., 322 (1985). P. 752-754.
Carbamate group				
Carbaryl	Not Detected	mg/kg	0.005	
Isoprocarb	Not Detected	mg/kg	0.005	
Fenobucarb	Not Detected	mg/kg	0.005	
Promecarb	Not Detected	mg/kg	0.005	
Carbofuran	Not Detected	mg/kg	0.005	
Methiocarb	Not Detected	mg/kg	0.005	In-house method TE-CH-030 based on Steinwandter, H. Universal 5 min On-Line Method for Extracting and Isolating Pesticide Residues and Industrial Chemicals, Fresenius Z Anal. Chem., 322 (1985). P. 752-754.
Methomyl	Not Detected	mg/kg	0.005	
Other				In-house method TE-CH-030 based on Steinwandter, H. Universal 5 min On-Line Method for Extracting and Isolating Pesticide Residues and Industrial Chemicals, Fresenius Z Anal. Chem., 322 (1985). P. 752-754.
Endosulfan	Not Detected	mg/kg	0.005	

~End of Report~



(Mrs. Wanisa Meecharoen)

Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P2/2





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladayao, Jatujak, Bangkok 10900 Thailand
Tel : (662) 551 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895, (662) 940 6881-3 Ext. 209
http://www.centallabthai.com



Accreditation No. 1051147

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21294
Page (s) 01/01

Customer Name & Address (provided by customer) Agrisen Food Co., Ltd.
35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description (provided by customer) Chinese Convolvulus

Sample Code BK64/08801-001

Sample Condition Sample Type: Chinese Convolvulus
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received May 22, 2021
Date of analysis May 22, 2021 - May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladayao, Jatujak, Bangkok 10900 Thailand
Tel : (662) 561 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895; (662) 940 6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 105147

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21295
Page (s) 01/01

Customer Name & Address (provided by customer) Agrisen Food Co., Ltd.
35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description (provided by customer) Chinese Convolvulus

Sample Code BK64/08801-002

Sample Condition Sample Type: Chinese Convolvulus
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received


Date of sample received May 22, 2021
Date of analysis May 22, 2021 - May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Laddymao, Jatujak, Bangkok 10900 Thailand
Tel : (662) 551 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895, (662) 940 6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 1051/47

Central Lab
One Step & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21296
Page (s) 01/01

Customer Name & Address (provided by customer) Agrisen Food Co., Ltd.
35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description (provided by customer) Lemon Grass

Sample Code BK64/08801-003

Sample Condition Sample Type: Lemon Grass
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received May 22, 2021
Date of analysis May 22, 2021 - May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladayao, Jafujak, Bangkok 10900 Thailand
Tel : (662) 561-4387-8, (662) 940-6881-3, Ext. 164, 218 Fax : (662) 579-4895, (662) 940-6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21297
Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A, Muang Nakron pathom thailand 73000

Sample Description Water Mimosa
(provided by customer)

Sample Code BK64/08801-004

Sample Condition Sample Type: Water Mimosa
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received


Date of sample received May 22, 2021
Date of analysis May 22, 2021 - May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพฯ : 50 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพฯ 10900
Bangkok Branch : 50 Phaholyothin Rd., Ladayao, Jatujak, Bangkok 10900 Thailand
Tel : (662) 561 4387-8, (662) 940 6881-3, Ext. 164, 218 Fax : (662) 579 4895, (662) 940 6881-3 Ext. 209
http://www.centralabthai.com



Accreditation No. 105147

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue May 24, 2021
Report No. TRBK64/21298
Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Chive
(provided by customer)

Sample Code BK64/08801-005

Sample Condition Sample Type: Chinese Chive
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received May 22, 2021
Date of analysis May 22, 2021 - May 24, 2021

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

~End of Report~


(Mrs. Wanisa Meecharoen)

Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

The results apply to the sample as received.
The report shall not be reproduced without the written official approval, except in full.
FM-QP-24-01-002-R06(16/07/63)P1/1

