

REPORT OF ANALYSIS

Page : 1 / 1

Report No. : 21-090542

Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
Sample Code : 21-36644-001
Sample Name : Okra 211021 RM (A-00-67)
Description : Sample contained in plastic bag.
Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	40	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g

S. Suriyathip

(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021

Nittaya W.

(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -

REPORT OF ANALYSIS

Page : 1 / 1

Report No. : 21-090543

Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
 Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
 Sample Code : 21-36644-002
 Sample Name : Okra 211021 FP (A-00-67)
 Description : Sample contained in plastic bag.
 Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	< 10	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g



(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021


(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -

REPORT OF ANALYSIS

Page : 1 / 1

Report No. : 21-090544

Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
 Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
 Sample Code : 21-36644-003
 Sample Name : Chinese kale 211021 RM (A-00-58)
 Description : Sample contained in plastic bag.
 Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	< 10	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g



(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021



(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -



REPORT OF ANALYSIS

Page : 1 / 1
Report No. : 21-090545
Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
Sample Code : 21-36644-004
Sample Name : Chinese kale 211021 FP (A-00-58)
Description : Sample contained in plastic bag.
Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	< 10	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g

S. Suriyathip

(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021

Nittaya W.

(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -

REPORT OF ANALYSIS

Page : 1 / 1

Report No. : 21-090546

Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
 Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
 Sample Code : 21-36644-005
 Sample Name : Vietnamese coriander 211021 RM (A-00-78)
 Description : Sample contained in plastic bag.
 Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	< 10	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g

S. Suriyathip

(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021

Nittaya W.

(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -

REPORT OF ANALYSIS

Page: 1 / 1

Report No. : 21-090547

Request: 21-36644

Client Name : AGRISEN FOOD CO.,LTD.
 Address : 35/14 MOO. 6 BANYANG MUANG NAKHONPATHOM 73000
 Sample Code : 21-36644-006
 Sample Name : Vietnamese coriander 211021 FP (A-00-78)
 Description : Sample contained in plastic bag.
 Sample Received Date : 22/10/2021

Tested Date : 22/10/2021

Test Item	Test Method	Result	Unit
<i>Escherichia coli</i>	AOAC (2019) 991.14	<10	CFU/g
<i>Salmonella</i> spp.	In-House Method TM-MI-039 Based on AFNOR Certificate No.: 3M 01/16-11/16	Negative	per 125 g



(Miss Sukhonthip Suriyathip)

Signed for Lab Manager
Issue date : 26/10/2021


(Miss Nittaya Wuttichaikijcharoen)

Signed for Director
Issue date : 26/10/2021

- End of Report -