



บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42454

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Phak Kha Yaeng
(provided by customer)

Sample Code BK65/15992-001

Sample Condition Sample Type: Phak Kha Yaeng
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~



Mrs. Chamoy Thonglue)

Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42455

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Water Mimosa
(provided by customer)

Sample Code BK65/15992-002

Sample Condition Sample Type: Water Mimosa
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~



(Mrs. Chamoy Thonglue)

Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42456

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Convolvulus
(provided by customer)

Sample Code BK65/15992-003

Sample Condition Sample Type: Chinese Convolvulus
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	1.0×10 ² est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Chamoy Thonglue)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42457

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Convolvulus
(provided by customer)

Sample Code BK65/15992-004

Sample Condition Sample Type: Chinese Convolvulus
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	1.0×10 ² est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Chamoy Thonglue)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42458

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Lemon Grass
(provided by customer)

Sample Code BK65/15992-005

Sample Condition Sample Type: Lemon Grass
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~



(Mrs. Chamoy Thonglue)

Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42459

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Chive
(provided by customer)

Sample Code BK65/15992-006

Sample Condition Sample Type: Chinese Chive
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Chamoy Thonglue)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue August 01, 2022

Report No. TRBK65/42460

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Chive
(provided by customer)

Sample Code BK65/15992-007

Sample Condition Sample Type: Chinese Chive
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received July 30, 2022

Date of analysis July 30, 2022 - August 01, 2022

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Chamoy Thonglue)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1

