



บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67632

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Convolvulus  
(provided by customer)

**Sample Code** BK65/25093-001

**Sample Condition** Sample Type: Chinese Convolvulus  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022


### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67633

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Convolvulus  
(provided by customer)

**Sample Code** BK65/25093-002

**Sample Condition** Sample Type: Chinese Convolvulus  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	1.0x10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67634

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Chive  
(provided by customer)

**Sample Code** BK65/25093-003

**Sample Condition** Sample Type: Chinese Chive  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67635

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Chive  
(provided by customer)

**Sample Code** BK65/25093-004

**Sample Condition** Sample Type: Chinese Chive  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext.-164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67636

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Lemon Grass  
(provided by customer)

**Sample Code** BK65/25093-005

**Sample Condition** Sample Type: Lemon Grass  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 kg/bag.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022


### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67637

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Water Mimosa  
(provided by customer)

**Sample Code** BK65/25093-006

**Sample Condition** Sample Type: Water Mimosa  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 bag/kg.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022


### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** November 21, 2022

**Report No.** TRBK65/67638

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Phak Kha Yaeng  
(provided by customer)

**Sample Code** BK65/25093-007

**Sample Condition** Sample Type: Phak Kha Yaeng  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 kg/bag.  
Temperature : chilled, in good condition when received

**Date of sample received** November 19, 2022

**Date of analysis** November 19, 2022 - November 21, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Miss Poolsiri Pruekkanon)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1

