



บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56168

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Convolvulus  
(provided by customer)

**Sample Code** BK65/20975-001

**Sample Condition** Sample Type: Chinese Convolvulus  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022


### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56169

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Convolvulus  
(provided by customer)

**Sample Code** BK65/20975-002

**Sample Condition** Sample Type: Chinese Convolvulus  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1







บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56170

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Chive  
(provided by customer)

**Sample Code** BK65/20975-003

**Sample Condition** Sample Type: Chinese Chive  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56171

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Chinese Chive  
(provided by customer)

**Sample Code** BK65/20975-004

**Sample Condition** Sample Type: Chinese Chive  
Packaging : tightly sealed plastic bag  
Quantity : 1 bag, Weight/Volume : 1.5 kg.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1







บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56172

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Lemon Grass  
(provided by customer)

**Sample Code** BK65/20975-005

**Sample Condition** Sample Type: Lemon Grass  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 kg/bag.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56173

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Water Mimosa  
(provided by customer)

**Sample Code** BK65/20975-006

**Sample Condition** Sample Type: Water Mimosa  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 kg/bag.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1







บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด  
Central Laboratory (Thailand) Co.,Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900  
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand  
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895  
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab  
One Stop & Fast Services

## TEST REPORT

**Date of Issue** September 26, 2022

**Report No.** TRBK65/56174

**Page (s)** 01/01

**Customer Name & Address** Agrisen Food Co., Ltd.  
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

**Sample Description** Phak Kha Yaeng  
(provided by customer)

**Sample Code** BK65/20975-007

**Sample Condition** Sample Type: Phak Kha Yaeng  
Packaging : tightly sealed plastic bag  
Quantity : 2 bags, Weight/Volume : 1 kg/bag.  
Temperature : chilled, in good condition when received

**Date of sample received** September 24, 2022

**Date of analysis** September 24, 2022 - September 26, 2022

### RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~

  
(Mrs. Wanisa Meecharoen)  
Approved Signatory  
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)  
**CERTIFIED**

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1

