



บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
 Central Laboratory (Thailand) Co., Ltd.
 สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
 Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
 Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
 http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Central Lab
 One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10011

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
 (provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Convolvulus
 (provided by customer)

Sample Code BK66/04487-001

Sample Condition Sample Type: Chinese Convolvulus
 Packaging : tightly sealed plastic bag
 Quantity : 1 bag, Weight/Volume : 1.5 kg.
 Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


 (Mrs. Wanisa Meecharoen)
 Approved Signatory
 Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
 Central Laboratory (Thailand) Co., Ltd.
 สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
 Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chaluchak, Bangkok 10900 Thailand
 Tel: (662) 940 8881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
 http://www.centlabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Central Lab
 One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10012

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
 (provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Convolvulus
 (provided by customer)

Sample Code BK66/04487-002

Sample Condition Sample Type: Chinese Convolvulus
 Packaging : tightly sealed plastic bag
 Quantity : 1 bag, Weight/Volume : 1.5 kg.
 Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


 (Mrs. Wanisa Meecharoen)
 Approved Signatory
 Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centralabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No.1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10013

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Chinese Chive
(provided by customer)

Sample Code BK66/04487-003

Sample Condition Sample Type: Chinese Chive
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023

RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory

Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.
สาขากรุงเทพฯ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10014

Page (s) 01/01

Customer Name & Address (provided by customer) Agrisen Food Co., Ltd.
35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description (provided by customer) Chinese Chive

Sample Code BK66/04487-004

Sample Condition Sample Type: Chinese Chive
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.
สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No. 1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10015

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Lemon Grass
(provided by customer)

Sample Code BK66/04487-005

Sample Condition Sample Type: Lemon Grass
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.
สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10016

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Water Mimosa
(provided by customer)

Sample Code BK66/04487-006

Sample Condition Sample Type: Water Mimosa
Packaging : tightly sealed plastic bag
Quantity : 2 bags, Weight/Volume : 1 kg/bag.
Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
 Central Laboratory (Thailand) Co., Ltd.
 สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
 Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand.
 Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
 http://www.centrallabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Central Lab
 One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10017

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
 (provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Phak Kha Yaeng
 (provided by customer)

Sample Code BK66/04487-007

Sample Condition Sample Type: Phak Kha Yaeng
 Packaging : tightly sealed plastic bag
 Quantity : 1 bag, Weight/Volume : 1.5 kg.
 Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


 (Mrs. Wanisa Meecharoen)
 Approved Signatory
 Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1





บริษัท ห้องปฏิบัติการกลาง (ประเทศไทย) จำกัด
Central Laboratory (Thailand) Co., Ltd.

สาขากรุงเทพ: 2179 ถนนพหลโยธิน แขวงลาดยาว เขตจตุจักร กรุงเทพมหานคร 10900
Bangkok Branch: 2179 Phaholyothin Road, Lat Yao, Chatuchak, Bangkok 10900 Thailand
Tel: (662) 940 6881-3 Ext. 164, 202, 204, 218 Fax: (662) 579 4895
http://www.centralabthai.com เลขประจำตัวผู้เสียภาษี 0105546096453



Accreditation No. 1051/47

Central Lab
One Stop & Fast Services

TEST REPORT

Date of Issue February 21, 2023

Report No. TRBK66/10018

Page (s) 01/01

Customer Name & Address Agrisen Food Co., Ltd.
(provided by customer) 35/14 M.6 T.Ban-Yang A. Muang Nakron pathom thailand 73000

Sample Description Phak Kha Yaeng
(provided by customer)

Sample Code BK66/04487-008

Sample Condition Sample Type: Phak Kha Yaeng
Packaging : tightly sealed plastic bag
Quantity : 1 bag, Weight/Volume : 1.5 kg.
Temperature : chilled, in good condition when received

Date of sample received February 18, 2023

Date of analysis February 18, 2023 - February 20, 2023


RESULT (S)

Test item	Result	Unit	LOD	Reference Method
<i>Escherichia coli</i>	<10est.	cfu/g	-	AOAC (2019) 991.14.
<i>Salmonella</i> spp.	Negative	per 125 g	-	In-house method TE-MI-167 based on AOAC (2019) 2016.01

Note: est : Estimated Counts

: The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

~End of Report~


(Mrs. Wanisa Meecharoen)
Approved Signatory
Central Laboratory (Thailand) Co., Ltd. (Bangkok Branch)
CERTIFIED

The results apply to the sample as received.

The report shall not be reproduced without the written official approval, except in full.

FM-QP-24-01-002-R06(16/07/63)P1/1

