

REPORT OF ANALYSIS

Page: 1 / 3
Report No. :24-030053
Request : 24-12606

Client Name : AGRISEN FOOD CO.,LTD.
Address : 35/14 MOO 6 T. BAN-YANG, A. MUANG, NAKRONPHATHOM 73000
Sample Code : 24-12606-002
Sample Name : Yard long bean 080324 A-00-44
Description : Sample is contained in plastic bag.
Sample Received Date : 09/03/2024

Tested Date : 09/03/2024

Test Item	Test Method	Result	Unit	LOD	LOQ
Carbamate group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- Aldicarb		Not Detected	mg/kg	0.005	0.01
- Aldicarb-sulfone		Not Detected	mg/kg	0.005	0.01
- Aldicarb-sulfoxide		Not Detected	mg/kg	0.005	0.01
- Carbaryl		Not Detected	mg/kg	0.005	0.01
- Carbofuran		Not Detected	mg/kg	0.005	0.01
- Carbofuran-3-hydroxy		Not Detected	mg/kg	0.005	0.01
- Fenobucarb		Not Detected	mg/kg	0.005	0.01
- Isoprocarb		Not Detected	mg/kg	0.005	0.01
- Methiocarb		Not Detected	mg/kg	0.005	0.01
- Methiocarb-sulfone		Not Detected	mg/kg	0.005	0.01
- Methiocarb-sulfoxide		Not Detected	mg/kg	0.005	0.01
- Methomyl		Not Detected	mg/kg	0.005	0.01
- Metolcarb		Not Detected	mg/kg	0.005	0.01
- Oxamyl		Not Detected	mg/kg	0.005	0.01
- Promecarb		Not Detected	mg/kg	0.005	0.01
- Thiodicarb		Not Detected	mg/kg	0.005	0.01
Organochlorine group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- Aldrin		Not Detected	mg/kg	0.005	0.01
- alpha-BHC		Not Detected	mg/kg	0.005	0.01
- alpha-Endosulfan		Not Detected	mg/kg	0.005	0.01
- beta-BHC		Not Detected	mg/kg	0.005	0.01
- beta-Endosulfan		Not Detected	mg/kg	0.005	0.01
- cis-Chlordane		Not Detected	mg/kg	0.005	0.01
- delta-BHC		Not Detected	mg/kg	0.005	0.01
- Dicofol		Not Detected	mg/kg	0.005	0.01
- Endosulfan-sulfate		Not Detected	mg/kg	0.005	0.01
- Endrin		Not Detected	mg/kg	0.005	0.01
- Endrin ketone		Not Detected	mg/kg	0.005	0.01

Reporting the result refers to the sample as received. This report shall not be reproduced except in full, without written approval of the company.

REPORT OF ANALYSIS

Page: 2 / 3

Report No. :24-030053

Request : 24-12606

Test Item	Test Method	Result	Unit	LOD	LOQ
Organochlorine group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- gamma-BHC		Not Detected	mg/kg	0.005	0.01
- Heptachlor		Not Detected	mg/kg	0.005	0.01
- Heptachlor-exo-Epoide		Not Detected	mg/kg	0.005	0.01
- o,p'-DDT		Not Detected	mg/kg	0.005	0.01
- p,p'-DDD (TDE)		Not Detected	mg/kg	0.005	0.01
- p,p'-DDE		Not Detected	mg/kg	0.005	0.01
- p,p'-DDT		Not Detected	mg/kg	0.005	0.01
- trans-Chlordane		Not Detected	mg/kg	0.005	0.01
- Dieldrin		Not Detected	mg/kg	0.005	0.01
- Total-DDT *		Not Detected	mg/kg	0.005	0.01
- Hexachlorobenzene		Not Detected	mg/kg	0.005	0.01
- o,p'-DDD		Not Detected	mg/kg	0.005	0.01
- o,p'-DDE		Not Detected	mg/kg	0.005	0.01
Organophosphate group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- Acephate		Not Detected	mg/kg	0.005	0.01
- Azinphos-ethyl		Not Detected	mg/kg	0.005	0.01
- Azinphos-methy		Not Detected	mg/kg	0.005	0.01
- Chlorpyrifos		Not Detected	mg/kg	0.005	0.01
- Diazinon		Not Detected	mg/kg	0.005	0.01
- Dichlorvos (DDVP)		Not Detected	mg/kg	0.005	0.01
- Dicrotophos		Not Detected	mg/kg	0.005	0.01
- Dimethoate		Not Detected	mg/kg	0.005	0.01
- EPN		Not Detected	mg/kg	0.005	0.01
- Ethion		Not Detected	mg/kg	0.005	0.01
- Fenitrothion		Not Detected	mg/kg	0.005	0.01
- Malathion		Not Detected	mg/kg	0.005	0.01
- Methamidophos		Not Detected	mg/kg	0.005	0.01
- Methidathion		Not Detected	mg/kg	0.005	0.01
- Mevinphos		Not Detected	mg/kg	0.005	0.01
- Monocrotophos		Not Detected	mg/kg	0.005	0.01
- Omethoate		Not Detected	mg/kg	0.005	0.01
- Parathion-ethyl		Not Detected	mg/kg	0.005	0.01
- Parathion-methyl		Not Detected	mg/kg	0.005	0.01

Reporting the result refers to the sample as received. This report shall not be reproduced except in full, without written approval of the company.

REPORT OF ANALYSIS

Page: 3 / 3

Report No. :24-030053

Request : 24-12606

Test Item	Test Method	Result	Unit	LOD	LOQ
Organophosphate group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- Phosalone		Not Detected	mg/kg	0.005	0.01
- Pirimiphos-ethyl		Not Detected	mg/kg	0.005	0.01
- Pirimiphos-methyl		Not Detected	mg/kg	0.005	0.01
- Profenofos		Not Detected	mg/kg	0.005	0.01
- Prothiofos		Not Detected	mg/kg	0.005	0.01
- Triazophos		Not Detected	mg/kg	0.005	0.01
Pyrethroids group	In-house method TM-CH-149 based on AOAC (2019) 2007.01				
- Bifenthrin		Not Detected	mg/kg	0.005	0.01
- Cyfluthrin		Not Detected	mg/kg	0.005	0.01
- Cypermethrin		Not Detected	mg/kg	0.005	0.01
- Deltamethrin		Not Detected	mg/kg	0.005	0.01
- Fenvalerate		Not Detected	mg/kg	0.005	0.01
- lambda-Cyhalothrin		Not Detected	mg/kg	0.005	0.01
- Permethrin		Not Detected	mg/kg	0.005	0.01

Remarks : 1. The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

2. LOD = Limit of Detection.

3. LOQ = Limit of Quantitation.

4. * = Marked Test(s) is/are not accredited.

T. Napawan

(Miss Napawan Tumsangthong)

Signed for Lab Manager

Issue date : 11/03/2024

Duangporn C.

(Miss Duangporn Charoenphong)

Signed for Director

Issue date : 11/03/2024

- End of Report -