

REPORT OF ANALYSIS

Page : 1 / 3

Report Date : 26/05/2025

Report No. : 25-092646

Request No. : 25-40601

Client Name : AGRISEN FOOD CO.,LTD.
 Address : 35/14 MOO 6 T. BAN-YANG, A. MUANG, NAKRONPHATHOM 73000
 Sample Code : 25-40601-002
 Sample Name : Sweet basil 230525 (A-00-77)
 Sample Condition : Sample is contained in plastic bag.
 Receive Date : 24/05/2025

Commence Date : 24/05/2025

Test Item	Test Method	LOD	LOQ	Result	Unit
Carbamate group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- Aldicarb		0.005	0.01	Not Detected	mg/kg
- Aldicarb-sulfone		0.005	0.01	Not Detected	mg/kg
- Aldicarb-sulfoxide		0.005	0.01	Not Detected	mg/kg
- Carbaryl		0.005	0.01	Not Detected	mg/kg
- Carbofuran		0.005	0.01	Not Detected	mg/kg
- Carbofuran-3-hydroxy		0.005	0.01	Not Detected	mg/kg
- Fenobucarb		0.005	0.01	Not Detected	mg/kg
- Isoprocarb		0.005	0.01	Not Detected	mg/kg
- Methiocarb		0.005	0.01	Not Detected	mg/kg
- Methiocarb-sulfone		0.005	0.01	Not Detected	mg/kg
- Methiocarb-sulfoxide		0.005	0.01	Not Detected	mg/kg
- Methomyl		0.005	0.01	Not Detected	mg/kg
- Metolcarb		0.005	0.01	Not Detected	mg/kg
- Oxamyl		0.005	0.01	Not Detected	mg/kg
- Promecarb		0.005	0.01	Not Detected	mg/kg
- Thiodicarb		0.005	0.01	Not Detected	mg/kg
Organochlorine group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- Aldrin		0.005	0.01	Not Detected	mg/kg
- alpha-BHC		0.005	0.01	Not Detected	mg/kg
- alpha-Endosulfan		0.005	0.01	Not Detected	mg/kg
- beta-BHC		0.005	0.01	Not Detected	mg/kg
- beta-Endosulfan		0.005	0.01	Not Detected	mg/kg
- cis-Chlordane		0.005	0.01	Not Detected	mg/kg
- delta-BHC		0.005	0.01	Not Detected	mg/kg
- Dicofol		0.005	0.01	Not Detected	mg/kg
- Endosulfan-sulfate		0.005	0.01	Not Detected	mg/kg
- Endrin		0.005	0.01	Not Detected	mg/kg
- Endrin ketone		0.005	0.01	Not Detected	mg/kg

The results shown in this report refer only to the sample(s) received. This report shall not be reproduced except in full, without written approval of the company.

REPORT OF ANALYSIS

Page : 2 / 3

Report Date : 26/05/2025

Report No. : 25-092646

Request No. : 25-40601

Test Item	Test Method	LOD	LOQ	Result	Unit
Organochlorine group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- gamma-BHC		0.005	0.01	Not Detected	mg/kg
- Heptachlor		0.005	0.01	Not Detected	mg/kg
- Heptachlor-exo-Epoide		0.005	0.01	Not Detected	mg/kg
- o,p'-DDT		0.005	0.01	Not Detected	mg/kg
- p,p'-DDD (TDE)		0.005	0.01	Not Detected	mg/kg
- p,p'-DDE		0.005	0.01	Not Detected	mg/kg
- p,p'-DDT		0.005	0.01	Not Detected	mg/kg
- trans-Chlordane		0.005	0.01	Not Detected	mg/kg
- Dieldrin		0.005	0.01	Not Detected	mg/kg
- Total-DDT		0.005	0.01	Not Detected	mg/kg
- Hexachlorobenzene		0.005	0.01	Not Detected	mg/kg
- o,p'-DDD		0.005	0.01	Not Detected	mg/kg
- o,p'-DDE		0.005	0.01	Not Detected	mg/kg
Organophosphate group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- Acephate		0.005	0.01	Not Detected	mg/kg
- Azinphos-ethyl		0.005	0.01	Not Detected	mg/kg
- Azinphos-methyl		0.005	0.01	Not Detected	mg/kg
- Chlorpyrifos		0.005	0.01	Not Detected	mg/kg
- Diazinon		0.005	0.01	Not Detected	mg/kg
- Dichlorvos (DDVP)		0.005	0.01	Not Detected	mg/kg
- Dicrotophos		0.005	0.01	Not Detected	mg/kg
- Dimethoate		0.005	0.01	Not Detected	mg/kg
- EPN		0.005	0.01	Not Detected	mg/kg
- Ethion		0.005	0.01	Not Detected	mg/kg
- Fenitrothion		0.005	0.01	Not Detected	mg/kg
- Malathion		0.005	0.01	Not Detected	mg/kg
- Methamidophos		0.005	0.01	Not Detected	mg/kg
- Methidathion		0.005	0.01	Not Detected	mg/kg
- Mevinphos		0.005	0.01	Not Detected	mg/kg
- Monocrotophos		0.005	0.01	Not Detected	mg/kg
- Omethoate		0.005	0.01	Not Detected	mg/kg
- Parathion-ethyl		0.005	0.01	Not Detected	mg/kg
- Parathion-methyl		0.005	0.01	Not Detected	mg/kg

The results shown in this report refer only to the sample(s) received. This report shall not be reproduced except in full, without written approval of the company.

REPORT OF ANALYSIS

Page: 3 / 3

Report Date : 26/05/2025

Report No. : 25-092646


Request No. : 25-40601

Test Item	Test Method	LOD	LOQ	Result	Unit
Organophosphate group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- Phosalone		0.005	0.01	Not Detected	mg/kg
- Pirimiphos-ethyl		0.005	0.01	Not Detected	mg/kg
- Pirimiphos-methyl		0.005	0.01	Not Detected	mg/kg
- Profenofos		0.005	0.01	Not Detected	mg/kg
- Prothiofos		0.005	0.01	Not Detected	mg/kg
- Triazophos		0.005	0.01	Not Detected	mg/kg
- Chlorpyrifos-methyl		0.005	0.01	Not Detected	mg/kg
Pyrethroids group	In-house method TM-CH-149 based on AOAC (2023) 2007.01				
- Bifenthrin		0.005	0.01	Not Detected	mg/kg
- Cyfluthrin		0.005	0.01	Not Detected	mg/kg
- Cypermethrin		0.005	0.01	Not Detected	mg/kg
- Deltamethrin		0.005	0.01	Not Detected	mg/kg
- Fenvalerate		0.005	0.01	Not Detected	mg/kg
- lambda-Cyhalothrin		0.005	0.01	Not Detected	mg/kg
- Permethrin		0.005	0.01	Not Detected	mg/kg

Remarks : 1. The laboratory has been accepted as an accredited laboratory complying with the ISO/IEC 17025.

2. LOD = Limit of Detection.

3. LOQ = Limit of Quantitation.

(Miss Ratcharin Kanjanarat)
Chemical Laboratory Manager

Printed date : 26/05/2025

- End of Report -